This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representation of The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.




Fig. II

Fig. IE



32h 40h





Fig. 2B

Fig. 2A






Fig. 3A

Recovery from 72 hour exposure to tunicamycin (BAMEC)




Fig. 3B




Fig. 4A




Fig. 4B




Fig. 6A




Fig. 6B

of Separation Bins of of Bins William

The state of the s







Fig. 7A Fig. 7B Fig. 7C Fig. 7D

Fig. 7E

Fig. 7F













Fig. 9A

Fig. 9B

Fig. 9C








G1-phase (24 hours)

43%

Fig. 1a










Fig. 13E




Fig. 13F

Fig. 13D

